



PARADISE MINERALS

Manufacturer & Exporter of : CALCINED, BAUXITE
MICA, QUARTZ, CALCITE POWDER, CAL. ALUMINA

318/319, 3rd Floor, Runwal Heights, L. B. S. Marg,
Opp. Nirmal Life-Style, Mulund (W), Mumbai-400 080.
Mobile : 9820635370 E-mail : paradiseminerals@gmail.com

MATERIAL SAFETY DATA SHEET OF

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Identification of the substance

Calcined Mica

Registration number (REACH)

this information is not available

CAS number

12001-26-2

Article number

A0047680

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

General use

1.3 Details of the supplier of the safety data sheet

PARADISE MINERALS
221 RUNWAL HEIGHTS
L B S MARG, OPP: NIRMAL LIFESTYLE
MULUND WEST, MUMBAI - 400080

E MAIL ID : paradiseminerals@gmail.com

1.4 Emergency telephone number

9820635370.

Emergency information service

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

- Pictograms

GHS07

Factory Address : Gala No. 15-16, Maruti Construction Compound Kasheri Village, Bhiwandi.

Factory II : Survey No. 287/5 Part 1 Patia More Opp. Daman Ganga Industrial Park, Kanwad Vapi, Valsad.

For Paradise Minerals

Proprietor



PARADISE MINERALS

Manufacturer & Exporter of : CALCINED, BAUXITE
MICA, QUARTZ, CALCITE POWDER, CAL. ALUMINA

318/319, 3rd Floor, Runwal Heights, L. B. S. Marg,
Opp. Nirmal Life-Style, Mulund (W), Mumbai-400 080.
Mobile : 9820635370 E-mail : paradiseminerals@gmail.com

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

- Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P312	Call a POISON CENTRE/doctor if you feel unwell.
P321	Specific treatment (see on this label).
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to industrial combustion plant.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Mica
Identifiers	
CAS No	12001-26-2

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

For Paradise Minerals

Signature
Proprietor

Factory Address : Gala No. 15-16, Maruti Construction Compound, Kasheri Village, Bhiwandi.

Factory II : Survey No. 287/5 Part 1 Patia More Opp. Daman Ganga Industrial Park, Kanwad Vapi, Valsad.



PARADISE MINERALS

Manufacturer & Exporter of : CALCINED, BAUXITE
MICA, QUARTZ, CALCITE POWDER, CAL. ALUMINA

318/319, 3rd Floor, Runwal Heights, L. B. S. Marg,
Opp. Nirmal Life-Style, Mulund (W), Mumbai-400 080.
Mobile : 9820635370 E-mail : paradiseminerals@gmail.com

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

For Paradise Minerals

Kishan
Proprietor

Factory Address : Gala No. 15-16, Maruti Construction Compound Kasher Village, Bhiwandi.

Factory II : Survey No. 287/5 Part 1 Patia More Opp. Daman Ganga Industrial Park, Kanwad Vapi, Valsad.



PARADISE MINERALS

Manufacturer & Exporter of : CALCINED, BAUXITE
MICA, QUARTZ, CALCITE POWDER, CAL. ALUMINA

318/319, 3rd Floor, Runwal Heights, L. B. S. Marg,
Opp. Nirmal Life-Style, Mulund (W), Mumbai-400 080.
Mobile : 9820635370 E-mail : paradiseminerals@gmail.com

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
GB	mica	12001-26-2	WEL		10					i	EH40/2005
GB	mica	12001-26-2	WEL		0.8					r	EH40/2005

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

i

inhalable fraction

r

respirable fraction

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.
Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

For Paradise Minerals

Proprietor

Factory Address : Gala No. 15-16, Maruti Construction Compound Kasher Village, Bhiwandi.

Factory II : Survey No. 287/5 Part 1 Patia More Opp. Daman Ganga Industrial Park, Kanwad Vapi, Valsad.



PARADISE MINERALS

Manufacturer & Exporter of : CALCINED, BAUXITE
MICA, QUARTZ, CALCITE POWDER, CAL. ALUMINA

318/319, 3rd Floor, Runwal Heights, L. B. S. Marg,
Opp. Nirmal Life-Style, Mulund (W), Mumbai-400 080.
Mobile : 9820835370 E-mail : paradiseminerals@gmail.com

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid (flakes)
Colour	colourless
Odour	odourless


Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not applicable
Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined
Vapour pressure	not determined
Density	2.77 g/cm ³
Vapour density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none

For Paradise Minerals


Proprietor

Factory Address : Gala No. 15-16, Maruti Construction Compound Kasheri Village, Bhiwandi.
Factory II : Survey No. 287/5 Part 1 Patia More Opp. Daman Ganga Industrial Park, Kanwad Vapi, Valsad.



PARADISE MINERALS

Manufacturer & Exporter of : CALCINED, BAUXITE
MICA, QUARTZ, CALCITE POWDER, CAL. ALUMINA

318/319, 3rd Floor, Runwal Heights, L. B. S. Marg,
Opp. Nirmal Life-Style, Mulund (W), Mumbai-400 080.
Mobile : 9820635370 E-mail : paradiseminerals@gmail.com

9.2 Other Information

Solid content	100 %
---------------	-------

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation.

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Factory Address : Gala No. 15-16, Maruti Construction Compound Kasher Village, Bhiwandi.

Factory II : Survey No. 287/5 Part 1 Patia More Opp. Daman Ganga Industrial Park, Kanwad Vapi, Valsad.

For Paradise Minerals

Proprietor



PARADISE MINERALS

Manufacturer & Exporter of : CALCINED, BAUXITE
MICA, QUARTZ, CALCITE POWDER, CAL. ALUMINA

318/319, 3rd Floor, Runwal Heights, L. B. S. Marg,
Opp. Nirmal Life-Style, Mulund (W), Mumbai-400 080.
Mobile : 9820635370 E-mail : paradiseminerals@gmail.com

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological Information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packageings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport Information

14.1 UN number

not subject to transport regulations

14.2 UN proper shipping name

not relevant

14.3 Transport hazard class(es)

none

14.4 Packing group

not assigned to a packing group

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

For Paradise Minerals

[Signature]
Proprietor

Factory Address : Gala No. 15-16, Maruti Construction Compound Kasheri Village, Bhiwandi.

Factory II : Survey No. 287/5 Part 1 Patia More Opp. Daman Ganga Industrial Park, Kanwad Vapi, Valsad.



PARADISE MINERALS

Manufacturer & Exporter of : CALCINED, BAUXITE
MICA, QUARTZ, CALCITE POWDER, CAL. ALUMINA

318/319, 3rd Floor, Runwal Heights, L. B. S. Marg,
Opp. Nirmal Life-Style, Mulund (W), Mumbai-400 080.
Mobile : 9820635370 E-mail : paradiseminerals@gmail.com

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

For Paradise Minerals

[Signature]
Proprietor

Factory Address : Gala No. 15-16, Maruti Construction Compound Kasheri Village, Bhiwandi.
Factory II : Survey No. 287/5 Part 1 Patia More Opp. Daman Ganga Industrial Park, Kanwad Vapi, Valsad.